

FOR ANIMAL USE ONLY

**ECOLINT**  
Reg. No. G2864 Act 36/1947

Worm remedy against tapeworms in sheep, goats, calves and ostriches.

**STORE:** ROOM TEMPERATURE BELOW 25 °C

**COMPOSITION:** Niclosamide 20 % m/v

**WARNINGS**

- ALLOW 7 DAYS BETWEEN LAST TREATMENT AND SLAUGHTER FOR HUMAN CONSUMPTION.
- Keep out of reach of children, uninformed persons and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

**DIRECTIONS FOR USE – USE ONLY AS DIRECTED.**

Can be used for all animals of all ages as well as pregnant animals.

Shake well before use.

- **Sheep, goats and calves:** Dose 1 ml/4 kg orally

Body mass (kg)	Dose (ml)	No. of doses in pack			
		200 ml	1 l	2 l	5 l
10	2,5	80	400	800	2 000
20	5,0	40	200	400	1 000
30	7,5	26	133	266	665
40	10,0	20	100	200	500

For animals under 20 kg body mass, ECOLint may be diluted with an equal volume of water. The dose must then be doubled e.g. for a 10 kg lamb, dose 5 ml of mixture.

- **Ostriches**  
Dose 1 ml per 2 kg orally.

**EFFICACY**

ANIMAL	TAPEWORM SPECIES	EFFICACY
Sheep and goats	<i>Moniezia</i> spp.	Class I
	<i>Avitellina</i> spp.	Class I
	<i>Thysaniezia</i> spp.	Class I
Calves	<i>Moniezia</i> spp.	Class I
Ostriches	<i>Houttunzia</i> spp.	Class I

**Explanation:**

Class I: 100 % effective in more than 80 % of treated animals

Class II: 100 % effective in more than 60 % of treated animals.

Class III: 100 % effective in more than 50 % of treated animals.

Class X: Ineffective

This list contains the more important endoparasite species. This anthelmintic may also be effective against other species. For more information consult your veterinarian.

**PRESENTATION:**

200 ml, 1 l, 2 l and 5 l

**Registration holder:**

ECO Animal Health Southern Africa (Pty) Ltd

Co. Reg. No. 92/00835/07

P O Box 12406, Onderstepoort 0110

Tel: (012) 545-0004