

FOR ANIMAL USE ONLY

ECOTEL 2,5 %
Reg. No. G3162 Act 36/1947
N-SR1113

Liquid tapeworm remedy against intestinal and hepatic tapeworms in sheep, and tapeworms in cattle and ostriches.

STORE IN A COOL, DRY PLACE.

Contains: Praziquantel 2, 5 % m/v

WARNINGS

- **Withdrawal period: NIL**
- Keep out of reach of children, uninformed persons and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED
SHAKE WELL BEFORE USE.

May be used in animals of all ages and pregnant sheep.

Animal	Tapeworm species	Dose
Cattle	Milktapeworm (<i>Moniezia</i> spp.)	2 ml/10 kg
Sheep	Milk tapeworm (<i>Moniezia</i> spp.)	2 ml/10 kg
	Serrated tapeworm (<i>Thysaniezia</i> spp.)	
	Narrow tapeworm (<i>Avitellina</i> spp.)	3 ml/10kg
	Liver tapeworm (<i>Stilesia hepatica</i>)	4 ml/10 kg
Ostriches	Ostrich tapeworm (<i>Houttuynia struthionis</i>)	3 ml/10 kg

EXAMPLE

DOSE	2 ml/10 kg				3 ml/10 kg				4 ml/10 kg			
Body mass (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose (ml)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses in 200 ml	100	50	33	25	66	33	22	16	50	25	16	12

DOSE	2 ml/10 kg				3 ml/10 kg				4 ml/10 kg			
Body mass (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose (ml)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses in 500 ml	250	125	83	62	166	83	55	41	125	62	41	31

DOSE	2 ml/10 kg				3 ml/10 kg				4 ml/10 kg			
Body mass (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose (ml)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses in 1 l	500	250	166	125	333	166	111	83	250	125	83	63

DOSE	2 ml/10 kg				3 ml/10 kg				4 ml/10 kg			
Body mass (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose (ml)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses in 2 l	1000	500	333	250	666	333	222	166	500	250	166	125

DOSE	2 ml/10 kg				3 ml/10 kg				4 ml/10 kg			
Body mass (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose (ml)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses in 5 l	5000	2500	833	625	1666	833	555	416	2500	625	416	312

DOSE/DOSIS	2 ml/10 kg				3 ml/10 kg				4 ml/10 kg			
Body mass/Liggaamsmassa (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose/Dosis (ml)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses/Aantal dosisse in 10 l	10000	5000	1666	1250	3333	1666	1111	833	5000	1250	833	625

EFFICACY		
Animal	Tapeworm species	Class
Cattle	Milktapeworm (<i>Moniezia</i> spp.)	I
Sheep	Milk tapeworm (<i>Moniezia</i> spp.)	I
	Serrated tapeworm (<i>Thysaniezia</i> spp.)	
	Narrow tapeworm (<i>Avitellina</i> spp.)	II
	Liver tapeworm (<i>Stilesia hepatica</i>)	II
Ostriches	Ostrich tapeworm (<i>Houttuynia struthionis</i>)	I

Explanation:

Class I: 100 % effective in more than 80 % of the treated animals.

Class II: 100 % effective in more than 60 % of the treated animals.

Presentation: 1 l, 5 l,

Registration holder/Registrasiehouer:

ECO Animal Health Southern Africa (Pty) Ltd
 ECO Dieregesondheid Suider-Afrika (Edms) Bpk
 Co./Mpy. Reg. No. 92/00835/07
 P O Box 12406, Onderstepoort, 0110
 Tel: (012) 545-0004