

PACKAGE INSERT: BETAMINT

FOR ANIMAL USE ONLY

BETAMINT

Nutritional Supplement

Reg. No. V28610 Act 36/1947

Namibia Reg. No. N-FF4716

INDICATIONS

Oral solution specifically for rehydration in pigs and poultry suffering from heat stress syndrome due to high environment temperatures and high humidity.

STORAGE INSTRUCTIONS

Store in a dry place below 25°C away from light.

COMPOSITION

Betaine	250 g/l
Vitamin C	90 g/l
Potassium chloride	2 g/l
Magnesium chloride hexahydrated	4 g/l
Calcium chloride dihydrate	40 g/l
Sodium chloride	20 g/l

GUARANTEED ANALYSIS

Betaine	250 g/l
Vitamin C	90 g/l
Calcium	1.1 %
Chlorine	3.3 %
Magnesium	0.048 %
Potassium	0.105 %

WARNINGS

- Keep out of reach of children, uninformed persons, and animals.
- Although Betamint has been extensively tested under a large variety of conditions, failure of this product may be as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

PRECAUTIONS

- Wash hands after use.
- Avoid contact with the skin and eyes.
- In case of accidental ingestion consult a doctor and make this package insert available.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Oral solution for administration in drinking water.

Dose when conditions conducive to heat stress are expected: 1 l Betamint / 1000 l of drinking water for 3-5 days, starting 2 days before the beginning of the hot period.

Dose when conditions conducive to heat stress are present: 2 l Betamint / 1000 l of drinking water for 3-5 days.

The use of Betamint can be continued if heat stress persists. Renew the solution at least every 24 hours.

PRESENTATION

1 L

REGISTRATION HOLDER:

Afrivet Business Management (Pty) Ltd

Co. Reg No. 2000/011263/07

P O Box 2009, Faerie Glen, 0043, RSA

Tel: +27 12 817 9060

Helpline: 0860 833 2787

web: www.afrivet.co.za

VOUBILJET: BETAMINT

SLEGS VIR DIEREGERBRUIK

BETAMINT

Voedingsaanvulling

Reg. No. V28610 Act 36/1947

Namibia Reg. No. N-FF4716

AANDUIDINGS

Orale oplossing vir die verligting van simptome in pluimvee en varke wat veroorsaak word deur hitte stres-sindroom as gevolg van hoë omgewingstemperature en hoë relatiewe humiditeit

BERGINGSAAWYSINGS

Berg in 'n droë plek onder 25°C weg van direkte lig

SAMESTELLING

Betaine	250 g/l
Vitamiën C	90 g/l
Kaliumchloried	2 g/l
Magnesiumchloried hexahidraat	4 g/l
Kalsiumchloried dehidraat	40 g/l
Natriumchloried	20 g/l

GEWAARBORGDE ANALISE

Betaine	250 g/l
Vitamiën C	90 g/l
Kalsium	1.1 %
Chlorine	3.3 %
Magnesium	0.048 %
Potassium	0.105 %

WAARSKUWINGS

Hou buite bereik van kinders, oningeligte persone en diere.

Alhoewel hierdie produk breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

VOORSORGMAATREëLS

- Was hande deeglik na gebruik.
- Vermy kontak met die vel en oë.
- In geval van toevallige inname raadpleeg 'n geneesheer en maak hierdie voubiljet beskikbaar.

GEBRUIKAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

Orale oplossing vir toediening in drinkwater.

Dosis wanneer toestande wat hitte-stres kan veroorsaak, verwag word: 1 l Betamint / 1000 l drinkwater vir 3-5 dae, begin 2 dae voor aanvang van die warm / hitte tydperk.

Dosis in die teenwoordigheid van toestande wat hitte-stres kan veroorsaak: 2 l Betamint / 1000 l drinkwater vir 3-5 dae.

Die gebruik van Betamint kan voortgesit word indien hittestres voortduur. Vermeng ten minste elke 24 uur 'n nuwe oplossing.

AANBIEDING

1 L

REGISTRASIEHOUER:

Afrivet Business Management (Pty) Ltd
Mpy. Reg No. 2000/011263/07
Posbus 2009, Faerie Glen, 0043,
RSA Tel: +27 12 817 9060
Hulplyn: 0860 833 2787
web: www.afrivet.co.za