

PACKAGE INSERT: ECOBASH CATTLE DIP

FOR EXTERNAL ANIMAL USE ONLY

ECOBASH CATTLE DIP

Reg. No. G3382 Act 36/1947

Namibia S0 V04/18.3.9/535

POISONOUS

STORAGE INSTRUCTIONS

- Store concentrate in original container away from food and feed.
- Store in a cool dry place.

COMPOSITION

Cymiazol 17,5 % m/v

Cypermethrin 2,5 % m/v

INDICATIONS

EMULSIFIABLE CONCENTRATE – CATTLE DIP AND SPRAY

- Controls ticks, has a detaching effect.
- Kills lice.
- Controls nuisance flies, biting flies, face flies,
- Protects against screw-worm infestation in cattle

WARNINGS

- NO MILK WITHDRAWAL.
- DO NOT SLAUGHTER ANIMALS FOR HUMAN CONSUMPTION WITHIN 7 DAYS OF LAST APPLICATION.
- Extremely toxic to fish.
- Handle with care. Poisonous by contact, swallowing or inhalation.
- Keep out of reach of children, uninformed persons and animals. Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

SLEGS VIR UITWENDIGE DIEREGERBRUIK

ECOBASH CATTLE DIP

Reg. No. G3382 Act 36/1947

Namibia S0 V04/18.3.9/535

GIFTIG

BERGINGSAAWYSINGS

- Berg in oorspronklike houer weg van kos en voer.
- Berg in 'n koel droë plek.

SAAMSTELLING

Cymiazol 17,5 % m/v

Cypermethrin 2,5 % m/v

INDIKASIES

EMULSIFISEERBARE KONSENTRAAT – BEES DIP- EN SPROEI

- Beheer bosluise, laat bosluise afval
 - Dood luise.
 - Beheer lasvlieë – bytende- en gesigvlieë.
- Beskerm teen spykerwurm besmetting in beeste

WAARSKUWINGS

- GEEN MELK ONTREKKING.
- MOENIE DIERE VIR MENSLIKE VERBRUIK SLAG BINNE 7 DAE NA LAASTE AANWENDING.
- Uiters giftig vir visse.
- Hanteer versigtig. Giftig by kontak, inname en inaseming.
- Hou buite bereik van kinders, oningeligte persone en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as

PACKAGE INSERT: ECOBASH CATTLE DIP

PRECAUTIONS

- Avoid contact with concentrate. In case of accidental skin contact, remove contaminated clothing and wash skin thoroughly with soap and water.
- Avoid prolonged contact with dipwash or inhalation or spray mist.
- Do not eat, drink or smoke while mixing or during use of dip.
- Prevent contamination of food, food utensils, grazing, drinking water, dams, rivers, etc.

- Destroy empty containers by perforation and flattening. Do not re-use for any other purpose.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

- DO NOT MIX WITH ANY OTHER DIP.
- SHAKE WELL BEFORE USE.
- Premix by adding the measured amount of concentrate slowly to double the volume of water and mix thoroughly by stirring.
- Add the premix to the bulk of water in the diptank or spray race sump. Make sure that in case of plunge tanks, the larger volume is poured in at the deep end.
- Mix contents of tank well before commencing dipping or spraying.

Dilution rates: Refer to table.

Recommendations:

- **Spray races:** Mix only enough spray-wash for one treatment and do not allow wash to stand over to the next spraying.
- **Boosting:** Boosting of spray wash is accomplished by adding 200 ml after every 100 head of cattle.

gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

VOORSORGMAATREËLS

- Vermy kontak met konsentraat. In geval van toevallige vel kontak, verwyder klere en was vel deeglik met seep en water.
- Vermy kontak met dipmengsel vir lang periodes en inaseming van sproeinewel.
- Moenie eet, drink of rook tydens vermenging of gedurende dip nie.
- Voorkom besoedeling van kos, eetgerei, voer, drinkwater, damme, riviere, ens.
- Vernietig leë houers deur te perforeer en plat te druk. Moenie vir enige ander doel gebruik nie.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

- MOENIE MET ENIGE ANDER DIP MENG NIE.
- SKUD GOED VOOR GEBRUIK.
- Maak 'n voormengsel aan deur die die regte hoeveelheid konsentraat by twee maal soveel water te voeg, en deeglik te meng.
- Voeg die voormengsel by die die res van die water in die diptenk of spuitgang se houer-tenk. Maak seker dat die meeste van die mengsel aan die diep kant van 'n diptenk gevoeg word.
- Meng die inhoud van die tenk goed voordat daar met dip of bespuiting begin word.

Verdunning: Verwys na tabel.

Aanbevelings:

- **Spuitedip:** Meng slegs genoeg dipmengsel vir een behandeling en moenie laat oorstaan nie.
- **Versterking:** Versterk die spuitdip deur 200 ml by te voeg na behandeling van elke 100 beeste.

PACKAGE INSERT: ECOBASH CATTLE DIP

- **Hand spraying:** Thoroughly wet the animal to the skin, especially under the tail, the ears and between the legs where ticks cluster.

Dipping intervals:

- **Ticks, flies and screw-worm:** Dip or spray weekly.
- **Lice:** Dip or spray when necessary.

- **Handbesproeing:** Verseker dat diere tot by die vel benat is, verval onder die stert, die ore en tussen die bene waar bosluise versamel.

Diptussenposes:

- **Bosluis, vlieë en spykerwurm:** Dip of spuit weekliks.
- **Luise:** Dip of sproei wanneer nodig.

Dilution/Verdunning:

METHOD/METODE	FRESHFILL/VARSVUL		REPLENISHMENT/AANVULLING	
	ECOBASH CATTLE DIP	WATER	ECOBASH BEESDIP	WATER
Plunge dip/Dompeldip	1,5 ℓ	1 000 ℓ	3 ℓ	1 000 ℓ
			Refer to table below for "Head Count" replenishment system for plunge dips. Sien tabel onder vir "Head Count" aanvulling stelsel vir dompeldip.	
Spray race/Spuitedip	1,5 ℓ	1 000 ℓ	1,5 ℓ	1 000 ℓ
Hand spraying/Handsput	15 ml ECOBASH CATTLE DIP/BEESDIP per 10 ℓ water			

"Head Count" Replenishment System for Plunge Dips

After dipping add water to the dip tank to fill the dip tank to the required level. Then use the following table to calculate how much Ecobash needs to be added to the dip tank.

"Head Count" Aanvulling Stelsel vir Dompeldip

Na dipping voeg water by die dipbak tot by die nodige vlak. Gebruik dan die onderstaande tabel om te bereken hoe veel Ecobash nodig is vir aanvulling.

Number of animals dipped Getal diere gedip	Quantity of Ecobash to be added to the diptank Hoeveelheid Ecobash wat by die dipbak bevoeg moet word
10	41.7 ml
20	83.4 ml
50	208.5 ml
100	417 ml
1000	4 170 ml

Note: 1ℓ of Ecobash will replenish sufficient dip wash to dip 239 cattle.

Nota: 1 ℓ Ecobash sal genoegsame dipmengsel aanvul vir die dip van 239 beeste.

PRESENTATION

100 ml, 250 ml, 500 ml, 1 L, 2 L, 5 L, 10 L, 20 L

AANBIEDING

100 ml, 250 ml, 500 ml, 1 L, 2 L, 5 L, 10 L, 20 L

PACKAGE INSERT: ECOBASH CATTLE DIP

Registration holder:

ECO Animal Health Southern Africa (Pty)
Ltd Co. Reg. No. 1992/000835/07
P O Box 2009, Faerie Glen 0043, R.S.A.
Helpline: 0860 833 2787
www.ecoanimalhealth.com

Marketed by:

Afrivet Business Management (Pty) Ltd
Reg. no. 2000/011263/07
P O Box 2009, Faerie Glen
0043, Pretoria
Tel. +27 12 817 9060
Web: www.afrivet.co.za
Helpline: 0860 833 2787

Registrasiehouer:

ECO Animal Health Southern Africa (Pty) Ltd
Mpy. Reg. No. 1992/000835/07
Posbus 2009, Faerie Glen 0043, R.S.A.
Hulplyn: 0860 833 2787
www.ecoanimalhealth.com

Bemark deur:

Afrivet Business Management (Pty) Ltd
Reg.nr. 2000/011263/07
Posbus 2009, Faerie Glen
0043, Pretoria
Tel. +27 12 817 9060
Web: www.afrivet.co.za
Hulplyn: 0860 833 2787