

PACKAGE INSERT : OSTRIDOSE

FOR ANIMAL USE ONLY

OstriDose

②†

Reg. No. G2243 Act 36/1947
Namibia S0 V01/18.1.1/312

CAUTION

STORAGE INSTRUCTIONS

Store in a cool, dry place.

COMPOSITION

Fenbendazole 5 % m/v

INDICATIONS

A remedy against roundworms in ostriches and horses.

WARNINGS

DO NOT SLAUGHTER ANIMALS FOR HUMAN CONSUMPTION WITHIN 7 DAYS OF LAST TREATMENT.

Do not mix or dilute with any other substance.

Keep out of reach of children, uninformed persons and animals.

Although this remedy has been extensively tested under a large range of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE – USE ONLY AS DIRECTED

Use as an oral drench.

Shake well before use.

Dosage:

Ostriches:	3,0 ml /10 kg body mass (15,0 mg/kg)
Horses:	2 ml /10 kg body mass (10,0 mg/kg)

SLEGS VIR DIEREGERBUK

OstriDose

②†

Reg. No. G2243 Wet 36/1947
Namibia S0 V01/18.1.1/312

VERSIGTIG

BERGINGSAAWYSINGS

Bewaar in 'n koel, droë plek.

SAMESTELLING

Fenbendazool 5 % m/v

AANDUIDINGS

'n Middel teen rondewurms in volstruise en perde.

WAARSKUWINGS

MOENIE DIERE VIR MENSLIKE VERBRUIK BINNE 7 DAE NA BEHANDELING SLAG NIE.

Moenie met enige ander middel meng of verdun nie.

Hou buite bereik van kinders, oningeligte persone en diere.

Alhoewel hierdie middle breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes.

Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

GEBRUIKSAANWYSINGS – GEBRUIK SLEGS SOOS AANGEDUI

Gebruik as 'n mondelingse dosering.

Skud deeglik voor gebruik.

Dosis:

Volstruise:	3,0 ml /10 kg liggaamsmassa (15,0 mg/kg)
Perde:	2 ml /10 kg liggaamsmassa (10,0 mg/kg)

Example/Voorbeeld:

Ostriches/Volstruise				Horses/Perde			
Body mass/ Liggaamsmassa (kg)	Dose/Dosis (3,0 ml /10 kg)	No. of doses in pack/ Aantal dosisse in pak		Body mass/ Liggaamsmassa (kg)	Dose/Dosis (2,0 ml/10 kg)	No. of doses in pack/ Aantal dosisse in pak	
		200 ml	500 ml			200 ml	500 ml
10	3	66	166	100	20	10	25
20	6	33	83	150	30	6	16
30	9	22	55	200	40	5	12
40	12	16	41	250	50	4	10
50	15	13	33	300	60	3	8
60	18	11	27	350	70	2	7
70	21	9	23	400	80	2	6

EFFICACY**Ostriches:**

* *Libyostrongylus douglassii*.

Horses:

* Bloodworms (large strongyles), redworms (small strongyles), pinworm (*Oxyuris*), ascarids and stomach worm (*Habronema majus*).

* Control = > 90 % effective

The list contains the more important endoparasite species. This anthelmintic may also be effective against other species. For more information consult your veterinarian.

† Benzimidazole

PRESENTATION

200 ml, 500 ml

DOELTREFFENDHEID**Volstruise:**

* *Libyostrongylus douglassii*.

Perde:

* Bloedwurms (groot strongiele), rooiwurms (klein strongiele), sambokwurm (*Oxyuris*), spoelwurm (askariede) en maagwurm (*Habronema majus*).

* Beheer = > 90 % effektief

Die lys bevat die meer belangrike endoparasietse spesies. Dit kan ook effektief teen ander spesies gebruik word. Vir verdere inligting raadpleeg u veearts.

† Bensimidazole

AANBIEDING

200 ml, 500 ml

Registration holder/Registrasiehouer:

ECO Animal Health Southern Africa (Pty) Ltd
 ECO Dieregesondheid Suider-Afrika (Edms) Bpk
 Co./Mpy. Reg. No. 1992/00835/07
 P O Box/Posbus 2009, Faerie Glen 0043, RSA
 Tel: +27 12 817 9060
 Helpline/Hulplyn: 0860 833 2787
 Web: www.ecoanimalhealth.com

Distributed by/Versprei deur:

Afrivet Business Management (Pty) Ltd Co./Mpy.
 Reg. No. 2000/011263/07
 P O Box/Posbus 2009, Faerie Glen 0043, RSA
 Tel: +27 12 817 9060
 Helpline/Hulplyn: 0860 833 2787
 Web: www.afrivet.co.za