

PACKAGE INSERT: TIXAGON 2 % (DOGS)

FOR EXTERNAL ANIMAL USE ONLY

TIXAGON 2 %

Reg. No. G3575 Act 36/1947

HARMFUL

STORAGE INSTRUCTIONS

Protect from extremes of heat, cold and from dampness.
Store away from food and feed.
Tightly reseal the container if all the contents have not been used.

INDICATIONS

Ready-to-use stripe on for the control of the yellow dog-tick.

COMPOSITION

Amitraz 2,0 % m/v

WARNINGS

- DO NOT USE ON DOGS UNDER 6 MONTHS OLD.
- DO NOT USE ON DOGS WEIGHING LESS THAN 8 KG.
- APPLY TO HEALTHY ANIMALS ONLY.
- NOT FOR USE ON CATS.

PRECAUTIONS

- Wear protective gloves during application.
- Do not eat, drink or smoke during or after handling this product, before washing hands and face thoroughly.
- Avoid contact with product and wash immediately and thoroughly with soap and hot water after accidental contamination.
- Remove and wash all contaminated clothing.
- Destroy empty containers and do not re-use for any other purpose.
- Do not contaminate dams, rivers and other water sources.

APPLICATION

- 2 ml / 10 kg. Treat strictly according to body mass.
- Apply as a stripe-on between the shoulder blades to the base of the tail.
- Treat dogs twice with a 7 day interval and again at two-weekly intervals to protect against the yellow dog tick.

Residual protection of 2 weeks against the yellow dog tick can be expected on dogs treated twice with a 7 day interval.

PRESENTATION

3 x 2 ml, 3 x 4 ml, 3 x 6 ml, 200 ml, 500 ml, 1 L, 5 L + 1 L, 20 L

SLEGS VIR UITSENDIGE DIEREGBRUIK

TIXAGON 2 %

Reg. No. G3575 Wet 36/1947

SKADELIK

BERGINGSAAWYSINGS

Beskerm teen uiterstes van hitte, koue en teen klammigheid.
Berg weg van voedsel en voer.
Indien inhoud nie opgebruik word nie, herseël houer deeglik.

AANWYSINGS

Gereed-vir-gebruik streepmiddel vir die beheer van die geel hondebosluis.

SAMESTELLING

Amitraz 2 % m/v

WAARSKUWINGS

- MOENIE OP HONDE ONDER 6 MAANDE OUD GEBRUIK NIE.
- MOENIE OP HONDE WAT MINDER AS 8 KG WEEG GEBRUIK NIE.
- GEBRUIK SLEGS OP GESONDE DIERE.
- NIE VIR GEBRUIK OP KATTE NIE.

VOORSORGMATREËLS

- Gebruik beskermende handskoene tydens aanwending.
- Moenie eet, drink of rook tydens of na aanwending van die middel alvorens die hande en gesig deeglik gewas is nie.
- Vermoedlik met produk en was onmiddellik en deeglik met seep en warm water na toevallige besmetting.
- Verwyder en was besoedelde klere.
- Vernietig leë houers en moenie vir enige ander doel gebruik nie.
- Moenie damme, riviere en ander waterbronne besoedel nie.

AANWENDING

- 2 ml / 10 kg. Behandel streng volgens liggaamsmassa.
- Wend aan as 'n streep tussen die skouerblad tot by die stertwortel.
- Behandel honde twee keer met 'n 7 dae tussenpose en dan met twee-weeklikse tussenposes om teen die geel hondebosluis te beskerm.

Nawerkende beskerming van 2 weke teen die geel hondebosluis kan verwag word op honde wat twee keer met 'n 7 dae tussenpose behandel word.

AANBIEDING

3 x 2 ml, 3 x 4 ml, 3 x 6 ml, 200 ml, 500 ml, 1 L, 5 L + 1 L, 20 L

Registration holder:

Afrivet Business Management (Pty) Ltd
Co. Reg. No. 2000/011263/07
P O Box 2009, Faerie Glen 0043, R.S.A.
Tel: + 27 (0) 12 817 9060
Web: www.afrivet.co.za
Helpline: 0860 833 2787

Registrasiehouer:

Afrivet Business Management (Pty) Ltd
Mpy. Reg. No. 2000/011263/07
Posbus 2009, Faerie Glen 0043, R.S.A.
Tel: + 27 (0) 12 817 9060
Web: www.afrivet.co.za
Hulplyn: 0860 833 2787