

FOR ANIMAL USE ONLY

SLEGS VIR DIEREGERBRUIK

VIT-AID

Vitamin A Injection/Vitamien A Inspuiting

Reg. No. G0678 Act/Wet 36/1947

INDICATIONS

VIT-AID Vitamin A Injection is a water-based solution of Vitamin A, for the prevention and treatment of Vitamin A deficiency in cattle.

COMPOSITION

Each ml of VIT-AID contains 500 000 i.u. Vitamin A and 50 i.u. Vitamin E.

STORAGE INSTRUCTIONS

Store partially used bottles in a refrigerator.
Store in a cool dark place.

WARNINGS

- DO NOT USE ON HORSES.
- Keep out of reach of children, uninformed persons and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

VIT-AID Vitamin A Injection is injected intramuscularly with a 15 – 18 gauge needle of 4 – 5 cm length.

Application should be made in a well fleshed area, preferably in the neck muscle.

Use clean sterilised needles and syringes and also disinfect the site of injection and bottle cap with alcohol or other disinfectant.

A standard dose of 1 ml/250 kg body mass (*viz.* 2 000 i.u. per kilogram body mass) is recommended for cattle for every period of three months.

Cattle:

Fully grown (\pm 500 kg body mass):

2 ml per head

Weaners (\pm 250 kg body mass):

1 ml per head

Important:

Under intensive farming conditions, the Vitamin A needs may be much higher, but consult an animal health nutritionist or veterinarian before dosages are increased.

N.B. Do not depart from the above dosages without consulting an animal nutritionist or veterinarian.

Presentation

100 ml

Registration holder/Registrasiehouer:

Formulation Technologies CC

Reg. No. CK90/19937/23

P O Box/Posbus 286

Ferndale, 2160

AANDUIDINGS

VIT-AID Vitamien A Inspuiting is 'n water gebaseerde oplossing van Vitamien A, vir die voorkoming en behandeling van Vitamien A tekort by beeste.

SAMESTELLING

Elke ml VIT-AID bevat 500 000 i.e. Vitamien A en 50 i.e. Vitamien E.

BERGINGSAAWYSINGS

Plaas gedeeltlikgebruikte bottles in 'n yskas.

Berg in 'n koel donker plek.

WAARSKUWINGS

- MOET NIE BY PERDE GEBRUIK NIE.
- Hou buite bereik van kinders, oningeligte persone en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

VIT-AID Vitamien A Inspuiting word binnespiers ingespuut met 'n 15 – 18 maat naald van 4 – 5 cm lengte.

Toediening moet geskied in 'n goed gespierde area, verkieslik in die nekspier.

Gebruik skoon, gesteriliseerde naalde en spuite en ontsmet ook die toedieningsarea en bottelprop met alkohol of 'n ander ontsmettingsmiddel.

Vir beeste word 'n standard dosis van 1 ml/250 kg liggaamsmassa (dit is 2 000 i.e. per kilogram liggaamsmassa) aanbeveel vir elke drie maande periode.

Beeste:

Volwasse beeste (\pm 500 kg liggaamsmassa):

2 ml per kop

Speenkalwers (\pm 250 kg liggaamsamassa):

1 ml per kop

Belangrik:

Onder intensiewe boerderytoestande mag die Vitamien A behoeftes veel hoër wees, maar raadpleeg eers 'n voedingskundige of veearts alvorens groter dosisse toegedien word.

L.W. Alvorens van aanbevole dosisse afgewyk word, moet 'n voedingskundige of veearts eers geraadpleeg word.

Aanbieding

100 ml

Distributed by/Versprei deur:

Afrivet Business Management (Pty) Ltd

Co./Mpy. Reg 2000/011263/07

P O Box/Posbus 2009,

Faerie Glen 0043,RSA

Helpline/Hulplyn: 0860 833 2787